



Index

- .cin file, 14
- \$CVS_PFX, 81
- \$INC_DIR, 81
- \$PKG_BUILD_DIR, 81
- \$REL_PFX, 81
- \$_COMP, 65
- \$_DEBUG, 65
- \$_DUMMY, 65
- \$_LOCKDIR, 65
- \$_LOGFILE, 64, 65
- \$_NOSTRICT, 65
- \$_OKMSG, 65
- \$_QUIET, 65
- \$_ROTATEDIR, 66
- \$_RUNFILE, 66
- \$_STATUSFILE, 66
- \$_TIMEOUT, 65
- \$_VERBOSE, 65
- access control, 30
- acknowledgement, 10
- aspect, 4
- authorisation, 30
- bare metal install, 47
- boot component, 37
- bootstrapping LCFG, 76
- buildinstallroot, 82
- buildtools, 50, 78
- C preprocessor, 21
- cfengine, 2
- chatterd, 13
- ClearPwrCycle(), 62
- ClearReboot(), 62
- client, 4
- client component, 37
- clone, 47
- cluster, 25
- comments, 21
- component, 4, 34
 - method, 35
 - output, 62
- components
 - boot, 37
 - client, 37
 - example, 50
 - file, 10, 38
 - inv, 39
 - inventory, 39
 - logserver, 40
 - openssh, 12
 - perlex, 50
 - profile, 37
 - rpmcache, 43
 - updaterpms, 19, 43
- conditionals, 21
- configure method, 35
- context, 27
- core software bundle, 7
- daemons, 68
- Debug(), 63
- declarative, 5
- defaults file, 14, 19, 50
- devinst, 80
- devpack, 79
- devpkg, 80
- devrpm, 80
- Dispatch(), 58, 59
- Do(), 62
- dotdef file, 19
- early reference, 24
- EndProgress(), 63
- Error(), 63
- example component, 50
- Fail(), 63
- file component, 10, 38

- generic components, 58
- genhdf, 43
- header file, 18, 46
- Info(), 63
- installation, 47
- installroot, 82
- inv component, 39
- inventory component, 39
- IsStarted(), 62
- language, 50
- late reference, 24
- lcfg-ngeneric, 58, 59
- lcfg-utils, 57, 62
- LCFG::Authorize, 36
- LCFG::Component, 59, 60
- LCFG::Resources, 57
- LCFG::Template, 58, 60
- LCFG::Utils, 57
- lcfglock, 66
- lcfgmsg, 57
- liblcfgutils, 57
- LoadProfile(), 62
- LoadStatus(), 62
- Lock(), 62, 66
- locking, 66
- logfile, 64
- logfile rotation, 64
- LogMessage(), 63
- logrotate, 64
- logrotate method, 35
- logserver component, 40
- macro, 21
- majorversion, 79
- managed components, 39
- manual pages, 20
- method
 - configure, 35
 - logrotate, 35
 - monitor, 35
 - reset, 35
 - restart, 35
 - resume, 35
 - run, 35
 - start, 35
 - status, 35
 - stop, 35
 - suspend, 35
 - unlock, 35
- minorversion, 79
- mkxprof, 29
- monitor method, 35
- mSET(), 22
- mutation, 17, 22
- ngeneric, 58, 59
- OK(), 63
- om command, 36
- openssh component, 12
- optional software bundle, 7
- pack, 79
- package list, 19, 25, 41
- perlex component, 50
- pkg, 80
- pkgbuild, 80
- prep, 80
- preprocessor, 21
- profile, 4
- profile component, 37
- Progress(), 63
- pseudo nodes, 57
- publish, 24, 54
- quotation characters, 23
- qxprof, 10, 57
- reconfiguration order, 67
- references, 24
- release, 79
- repository, 43
- RequestReboot(), 62
- reset method, 35
- resource list, 21, 52
- resource type, 51
- resources, 4, 20
- restart method, 35
- resume method, 35
- rpm, 80
- rpmcache component, 43
- rpmcfg file, 29, 41
- run method, 35
- SaveStatus(), 62
- schema file, 14, 19, 50

- schema version, 19
- security, 30
- server, 4, 17
 - access control, 30
 - authorisation, 30
 - security, 30
- SetPwrCycle(), 62
- shell components, 58
- skeleton, 14
- skeleton component, 57
- software updating, 41
- sorting, 53
- source files, 4, 18
- spanning map, 5, 17, 24, 54
- specfile, 80
- standard software bundle, 7
- start method, 35
- StartProgress(), 63
- status display, 31
- status method, 35
- status page, 10
- stop method, 35
- subscribe, 24, 55
- suspend method, 35
- sxprof, 58, 60
- system configuration, 1
- tag list, 21, 52
- template processor, 60
- test.mk, 14, 70
- testing, 70
- type, 51
- unlock method, 35
- Unlock(), 62, 66
- updaterpms, 19
- updaterpms component, 43
- utility functions, 62
- utils, 57
- validation, 51
- Warn(), 63

